

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	745	alarm device and thromb\$5 detect\$5	US-PGPUB; USPAT	AND	OFF	2009/05/14 14:23
L3	740	generat\$4 alarm and thromb\$5 detect\$5	US-PGPUB; USPAT	AND	OFF	2009/05/14 14:23
L4	174	alarm device and thromb\$5 detect\$5 and dissolv\$4 agent\$1	US-PGPUB; USPAT	AND	OFF	2009/05/14 14:24
L5	2	generat\$4 alarm and thromb\$5 detect\$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/14 14:25
L7	1	portable self power source and thromb\$4 detect\$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/14 15:04
L8	0	portable power source and thromb\$4 detect\$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/14 15:04
L9	0	portable self power source and treat\$5 clot\$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/14 15:05
L10	449	portable self power source and thromb\$4 detect\$5	US-PGPUB; USPAT	AND	OFF	2009/05/14 15:05
L11	1	portable self power source and thromb\$4 detect\$5	US-PGPUB; USPAT	WITH	OFF	2009/05/14 15:05
L12	424	portable self power source and thromb\$4 detect\$5 and treat\$6	US-PGPUB; USPAT	AND	OFF	2009/05/14 15:05
L13	225	portable self power source and thromb\$4 detect\$5 and treat\$6 and ultraso\$5	US-PGPUB; USPAT	AND	OFF	2009/05/14 15:06
L14	1	600/437.ccls. and ultraso\$4 probe and transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1 and alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/14 15:32

L15	0	600/467.ccls. and ultraso\$4 probe and transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1 and alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/14 15:33
L16	6	600/437.ccls. and ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 clot\$6 and blood vessel\$1 and irradiat\$5 clot\$5 light\$1 and inject\$5 agent\$1 dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/14 15:33
L17	0	600/467.ccls. and ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 clot\$6 and blood vessels\$1 and irradiat\$5 clot\$5 light\$1 and inject\$5 agent\$1 dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/14 15:33
L18	0	600/462.ccls. and blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	USPAT	AND	OFF	2009/05/14 15:33
L19	0	600/463.ccls. and blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	USPAT	AND	OFF	2009/05/14 15:34
L20	1	600/467.ccls. and blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	USPAT	AND	OFF	2009/05/14 15:34
L21	0	600/467.ccls. and ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 clot\$6 and blood vessel\$1 and irradiat\$5 clot\$5 light\$1 and inject\$5 agent\$1 dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2009/05/14 15:34

L22	0	600/478.ccls. and ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 clot\$6 and blood vessel\$1 and irradiat\$5 clot\$5 light\$1 and inject\$5 agent\$1 dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2009/05/14 15:34
S1	2	JP-2001327495-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/11 15:46
S2	7	((KAZUNARI) near2 (ISHIDA)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/11 15:54
S3	148	((KAZUNARI) near2 (ISHIDA)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/05/11 15:54
S4	7	((MIKIHIRO) near2 (KAGA)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/11 15:54
S5	14	((MIKIHIRO) near2 (KAGA)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/05/11 15:55
S6	3	((NAOTO) near2 (FUJITA)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/11 15:55
S7	51	((NAOTO) near2 (FUJITA)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/05/11 15:55
S8	196	((JUN) near2 (KUBOTA)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/05/11 15:55
S9	33	((JUN) near2 (KUBOTA)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/11 15:55
S10	4	"6511428"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/11 15:58
S11	1	(Hitachi).INV. and thrombus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:07
S12	2	EP-619104-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:09

S13	101	"5523058"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:10
S14	56	ultraso\$4 probe with transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:14
S15	1	ultraso\$4 probe with transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2009/05/11 16:14
S16	4	ultraso\$4 probe with transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1 and alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:15
S17	33	ultraso\$4 probe and transducer transmit\$4 and receiv\$4 wave\$1 and detect\$5 thrombus and blood vessel\$1 and light\$1 and alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:17
S18	61	ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 thrombus and blood vessel\$1 and light\$1 and alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:23
S19	117	ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 thrombus and blood vessel\$1 and light\$1 irradiat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:27
S20	90	ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 thrombus and blood vessel\$1 and light\$1 irradiat\$5 and inject\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:35

S21	214	ultraso\$4 transducer transmit\$4 and receiv \$4 and detect\$5 clot\$6 and blood vessel\$1 and irradiat\$5 clot\$5 light\$1 and inject\$5 agent\$1 dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 16:41
S22	0	thrombus detect\$4 detect\$4 treat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:08
S23	1	thrombus detect\$4 treat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:09
S24	179	thrombus detect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:09
S25	153	thrombus detect\$4 and treat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:09
S26	30	thrombus detect\$4 and treat\$4 and transducer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:09
S27	27	thrombus detect\$4 and treat\$4 and transducer\$1 and inject \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:09
S28	25	thrombus detect\$4 and treat\$4 and transducer\$1 and inject \$4 and dissolv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:10

S29	29	thromb\$6 detect\$4 and treat\$4 and transducer\$1 and inject \$4 and dissol\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 18:15
S30	1	"20020111568"	US-PGPUB; USPAT	OR	OFF	2009/05/11 19:01
S31	76	transducer with transmit\$5 and receiv \$5 and thromb\$6 detect\$5 and treat\$5 thromb\$6 and irradiat \$5 light\$1 source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 19:15
S32	0	transducer with transmit\$5 and receiv \$5 and thromb\$6 detect\$5 and treat\$5 thromb\$6 and irradiat \$5 light\$1 source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 19:15
S33	0	transducer\$1 and transmit\$5 and receiv \$5 and thromb\$6 detect\$5 and treat\$5 thromb\$6 and irradiat \$5 light\$1 source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 19:15
S34	10117	thromb\$4 and irradiat \$5 light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 20:19
S35	474	thromb\$4 and irradiat \$5 light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 20:19
S36	0	detect\$4 and treat\$5 thromb\$4 with ultraso \$4 transducer\$1 and irradiat\$5 light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/11 20:21
S37	91	detect\$4 and treat\$5 thromb\$4 with ultraso \$4 transducer\$1 and irradiat\$5 light\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 20:21

S38	25	"6022309"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/11 20:22
S39	2	"2002107473"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:08
S40	6	"20020107473"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:09
S41	159	"5269291"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:12
S42	20	treat\$5 thromb\$6 with light\$4 and transducer with transmit\$5 and receiv\$4 and light\$1 detect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:14
S43	1	treat\$5 thromb\$6 with light\$4 and transducer with transmitter\$1 and receiver\$1 and light\$1 detector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:33
S44	160	"5318014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:34
S45	52	"5509896"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 11:36
S46	3	"6514203"	US-PGPUB; USPAT	OR	OFF	2009/05/13 16:08

S47	2	detect\$4 thromb\$4 with signal intensity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 17:45
S48	48	detect\$4 thromb\$4 and signal intensity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 17:47
S49	246	detect\$4 thromb\$4 with ultraso\$4 signal intensity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 17:51
S50	191	detect\$4 thromb\$4 with ultraso\$4 signal intensity and light\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 17:52
S51	0	diagnos\$5 thromb\$4 with ultraso\$4 signal intensity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 17:57
S52	0	diagnos\$5 thromb\$4 with ultraso\$4 signal intensit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 17:57
S53	306	detect\$4 thromb\$4 with ultraso\$4 intensit \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 17:58
S54	0	detect\$4 thromb\$4 with ultraso\$4 intensit \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/05/13 17:58

S55	4	"6676601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 17:59
S56	38	"5590653"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 18:06
S57	0	measur\$4 light\$4 intensit\$4 and thromb \$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/13 18:25
S58	18	measur\$4 light\$4 intensit\$4 and thromb \$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/13 18:25
S59	6	measur\$4 intensit\$4 and detect\$5 thromb \$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/13 18:28
S60	5	measur\$4 intensit\$4 and detect\$5 blood clot \$5	US-PGPUB; USPAT	ADJ	OFF	2009/05/13 18:32
S61	11	"5502651"	US-PGPUB; USPAT	ADJ	OFF	2009/05/13 18:34
S62	18730	thromb\$4 detect\$4 apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 18:41
S63	4	thromb\$4 detect\$4 apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 18:41
S64	11	"5991654"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 18:42
S65	2	blood clot\$5 detect\$4 apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 18:43

S66	0	blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2009/05/13 18:44
S67	1440	blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 18:45
S68	1260	blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/13 18:45
S69	905	blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	US-PGPUB	AND	OFF	2009/05/13 18:45
S70	355	blood clot\$5 detect\$4 with measur\$4 ultraso \$5 signal intensit\$5 and display\$5	USPAT	AND	OFF	2009/05/13 18:46

5/14/2009 3:35:37 PM

C:\Documents and Settings\jbrutus2\My Documents\EAST\Workspaces\10579208.wsp